IVERCARES

Presented By: **Dr. William John**

Fenbendazole for Animal Worm Control: What Every Owner Needs to Know

A practical guide to parasite treatment, tablet strength, and deworming that actually works

IVERCARES

The Hidden Cost of Internal Parasites

Worms rarely announce themselves early. A lamb gaining less weight than expected, a dog losing its edge, a cow slow to recover after calving. These quiet signs are easy to miss, and by the time visible decline appears the infestation has usually been building for weeks.

- Animals can carry heavy worm burdens while still appearing reasonably healthy

- Early treatment prevents damage that takes far longer to reverse than it did to develop



IVERCARES

How Fenbendazole Works

Fenbendazole targets beta tubulin, a protein parasites need to build and maintain their cells. Without it, worms cannot absorb nutrients, divide, or hold themselves together. They deteriorate over several days and are expelled naturally through digestion, leaving no sudden toxic burden on the host.

- Disrupts nutrient absorption, cell division, and structural integrity simultaneously
- Binds far more strongly to parasite tubulin than mammalian tubulin, giving it a wide safety margin
- Effective against roundworms, hookworms, whipworms, tapeworms, and Giardia

IVERCARES

Why Broad Spectrum Coverage Matters

Different parasites cause harm in different ways. Roundworms steal nutrients. Hookworms draw blood and cause slow anaemia. Whipworms inflame the gut over weeks. Tapeworms shed continuously and disrupt digestion. Addressing all of these in one treatment course removes the need for multiple products and simplifies the entire management process.

- One compound covers the full range of clinically significant gut parasites
- Reduces complexity for owners dealing with mixed or unconfirmed worm burdens
- Suitable as both a routine maintenance treatment and a targeted therapeutic intervention

IVERCARES

Why Tablet Strength Matters

Concentration is the variable most people overlook. Using too strong a tablet for a small animal means splitting and estimating, which introduces dosing error. Using too weak a tablet for a large animal means an impractical number of units per dose. Matching strength to body weight is the most direct way to ensure accurate treatment every time.

- Lower concentration tablets suit smaller animals where precision in dosing matters most
- Higher concentration tablets suit larger animals where reaching therapeutic doses efficiently is the priority
- The right tablet is whichever one allows the correct dose to be delivered accurately without guesswork

IVERCARES

Treating Smaller Animals

- For cats, small dogs, lambs, and young goats, dosing accuracy depends on using a product designed for that weight range. Splitting a higher strength tablet introduces inconsistency that compounds across treatment cycles. The Fensafe 222 mg fenbendazole tablet removes this problem entirely, delivering a precise dose in individually sealed strip packaging suited to lighter animals.
- No splitting or adjustment required for smaller animals
- Strip packaging protects each tablet until the moment of use
- Covers roundworms, hookworms, whipworms, and tapeworms at a concentration suited to lighter body weights

IVERCARES

Treating Larger Animals

- A 500 kg horse needs 3,750 mg of fenbendazole per session at standard dosing. Reaching that with a lower strength tablet means handling an impractical unit count per dose. The Wormentel 444 mg worming tablet cuts that count roughly in half while delivering identical parasite coverage through the same proven mechanism.
- Halves the per session tablet count for large animals compared to lower strength products
- Blister packaging maintains integrity through farm and stable storage conditions
- Covers the same broad parasite spectrum without any compromise in efficacy

IVERCARES

Precautions to Know Before You Treat

Never combine with bromsalan based liver fluke treatments within a 14 day window

Do not treat animals under three months of age

Side effects are uncommon but may include loose stools, mild nausea, and brief appetite loss

IVERCARES

Building a Program That Lasts

One treatment is not a program. Worms reinfect quickly from pasture, water sources, and contact with untreated animals. Consistent results come from accurate weight based dosing, fecal testing to confirm efficacy, seasonal scheduling, and drug class rotation. The full fenbendazole product range is a good starting point for building a treatment kit suited to every animal you keep.

IVERCARES

Key Takeaways

- Always weigh animals before treatment and dose on actual current body weight, never an estimate
- Test fecal egg counts after every treatment cycle to confirm the protocol is working
- Match tablet concentration to animal size and review available products before committing to a long term schedule

Contact Us

+1 (734) 274-6420

info@ivercares.com